Toll Free (844)-448-3207



www. SupplyBright .Net

Your Source For Awning Extrusions And Supplies......





J. ENNIS FABRICS













































PROUD MEMBER OF:









One Source for Everything Awning

Fixed Awning Specialist

Always Wholesale ... Never Retail

AWNING EXTRUSIONS

OVER 30 PROFILE STYLES TO CHOOSE FROM





POPULAR STYLES















STAPLE GUN



TENSION CLAMPS



AWNING STAPLES





CLEANING SUPPLIES





PROUD MEMBER OF:





Professional Awning Manufacturers Association

Voice: 941-460-1600 TF: 844-448-3207 Fax: 844-780-0810 WebSite: www.SupplyBright.Net E-Mail: Sales@SupplyBright.Net



One Source for Everything Awning

Fixed Awning Specialist

Always Wholesale ... Never Retail

Some Products We Offer ...



Z-CLIP



AluminoX

MATCHED
STAPLE SYSTEM
COMPONENT



















PROUD MEMBER OF:







PVC Insert



PVC Insert for Fixed Awning Staple Groove Insert

A Milliken Original Product



Please beware that printed color may not match the exact color of the insert.

Please refer to the sample insert for exact color matching.

Voice - 844-448-3207 fax: 844-780-0910



One Source for Everything Awning

Fixed Awning Specialist

Always Wholesale ... Never Retail

END OF THE "BAG & SAG"

For Acrylic Fabric

Since the introduction of acrylic awning and boat fabric, awning manufacturers have found that regardless how tight one tensions acrylic fabric in a structure, it almost always bags and sags in wet weather and dewy mornings, but usually assumes a taut appearance when the sun hits the surface later in the day.

Supply Bright found a way to eliminate this negative in most instances.

The fabric is cut into ready-to-install panels and soaked in a water trough for about 16 hours overnight. The fabric is then inserted "wet", which puts the fabric into the frames at its maximum stretch point. Thereafter, since the fabric is uniquely tensioned in 360 degrees in the Supply Bright frame structures, it usually stays taut in any kind of weather.

This element can help separate one local company from the rest of the crowd in the marketplace. It is another key, distinctive feature of the Supply Bright System.

Twist & Lock Galvanized Staples



Supply Bright staples have gone through a manufacturing process change. Previously our staples were made by an old type single-wire machines process, today the staples are made by a new and advanced multi-wires machine process. The purpose of using the new multi-wire machines is to make our staples;

- have a better outlook
- · have less glue marks
- have a more powerful performance
- have more stable quality/specifications
- have higher production efficiency

Our overseas manufacturing partner and their R&D Department have undergone sufficient testing of the new multi wire process by firing staples into the aluminum plates to verify the quality and performance of the multi wire process to match or exceed the old single wire process.

Please remember that these staples are verified and guaranteed to work with the "Matched Component System" and are manufactured to penetrate the staple channel of not more than 1mm thick. If the staples are not being used with our "Matched Component System" and the staple channel may be more than 1mm thick, adjustment to the air pressure may solve any staple penetration problem.

Any further question, please don't hesitate to let us know!

Voice - 844-448-3207 fax: 844-780-0910
Web Site: www.SupplyBright.net E-Mail: Sales@SupplyBright.net



PVC INSERT FABRIC SELECTION CHART

The following PVC insert fabric selection charts compares Supply Bright's PVC Insert to various awning fabric colors to assist you in choosing the correct color PVC Insert for your fabric. Note that the colors selected are a close or sometimes exact color match to the fabric. However, it is the customer's final decision to select the proper colors to match. Also be aware that the printed colors, or screen colors, may not match the exact color of the insert or fabric.

	- میرا	ER SOLIDS	POTEST TEM	POTEST FR	ACRILL RECS	YSTEM SUNE	RELLA AWNMAX	
CP-01 BLACK	6005	T24	6024	8-103	103	4608	3180	
CP-02 DARK BLUE	6041	T414						
CP-03 MID BLUE	6002	T416		172		4601	1150	
CP-04 BROWN								
CP-05 BURGUNDY	6004	T73				4631		
CP-06 GREEN	6001	T5	6008	102	102	4637	6107	
CP-07 GREY	6008	T15/79				14609		
CP-08 IVORY		T93					1170	
CP-09 ORANGE		T72		567				
CP-11 RED	6021			176	176	4666		
CP-12 CLEAR	ALL	ALL	ALL	ALL	ALL	ALL	ALL	
CP-13TEAL								
CP-14 TERRA COTTA	6049/6035	T426				4689		
CP-15 TURQUIOSE	6072	T22-47		171		4612		
CP-16 WHITE	6009						1160	
CP-17 YELLOW							1132	
CP-18 MAGENTA	6063							
CP-19 PLUM								
CP-20 SUNFLOWER	6023	T12		554		4602	1181	
CP-21 BEIGE	6020	T15/1		115		4633	8103	
CP-22 LIGHT GREEN							1142	
CP-23 LIGHT BLUE							1153	
CP-24 NAVY BLUE	6022	T75		170	199	14610	8101	
CP-25 SPRUCE								
CP-26 TACO BELL PURPLE	6046					4665		

	ENNIS	74	EA II bras	EY LITE ULTR	ASHADE WEATH	IERTYTE MAJE	STY -S	IST HUV
	ENNI	COOL	COOL	ULTR	WEY!	IERTY L	FIRES	
CP-01 BLACK	427	2025	CBL10	UPS320		51214	88008	
CP-02 DARK BLUE	431	2114	2114		BLUE			
CP-03 MID BLUE	425	0301	0301	UPS305		51245		
CP-04 BROWN	418			UPS315				
CP-05 BURGUNDY		CBL22	2020				88031	
CP-06 GREEN	438	4048	4048	UPS308	GREEN	51428		
CP-07 GREY								
CP-08 IVORY				UPS302			88054	
CP-09 ORANGE						51207		
CP-11 RED					D RED	51202	88056	
CP-12 CLEAR	ALL	ALL	ALL	ALL	ALL	ALL	ALL	
CP-13TEAL								
CP-14 TERRA COTTA	509							
CP-15 TURQUIOSE								
CP-16 WHITE		0606	0606	UPS301				
CP-17 YELLOW		2037	2037					
CP-18 MAGENTA						51219		
CP-19 PLUM		0248	0248					
CP-20 SUNFLOWER		0123	0123		SUNFLOWER		88002	
CP-21 BEIGE								
CP-22 LIGHT GREEN	426	0355	0355					
CP-23 LIGHT BLUE		2648	2648					
CP-24 NAVY BLUE		CBL15	CBL15	UPS307		51205	88055	
CP-25 SPRUCE								
CP-26 TACO BELL PURPLE								

Note: Supply Bright, LLC or its affiliates assumed no responsibility nor guarantee (expressed or implied) the matching of any color PVC Insert to any fabric listed in the above chart. It is solely the customers responsibility to verify color matching prior to ordering.


Voice - 844-448-3207 fax: 844-780-0910



Aluminum Awning Extrusion

EXTRUSIONS - Ready For Shipment


MATCHED STAPPES SYSTEM COMPONENT

































Thanks Bruce..

you are the best. I added 10 lengths of Mp1 and sending the PO right now...

B. Phillips - Canada

Call for availability and estimated delivery times.


Voice - 844-448-3207 fax: 844-780-0910




Aluminum Awning Extrusion

EXTRUSIONS - Ready For Shipment


MATCHED STAPLE SYSTEM COMPONENT














W/FLANGE STAPLE














Bruce,

Got the samples thank you so much it will be helpful and look more professional when I go see my customer and by the way these are really nice and we installed the grey that you sent me for Auto Zone and they loved it.

Shelia – Texas



Call for availability and estimated delivery times.

Voice - 844-448-3207 Web Site: www.SupplyBright.net fax: 844-780-0910

E-Mail: Sales@SupplyBright.net




Aluminum Extrusion Mill Run

MATCHED STAPLE SYSTEM COMPONENT

MILL RUN ORDER EXTRUSIONS


Call for availability and estimated delivery times.
1,000 pound minimum order*

We reserve the right to ship +/- 5% per item ordered and chrage accordingly






Minimum Order Quantity: 123 pcs




SQUARE TUBE




Minimum Order Quantity: 150 pcs




.090" WALL X 24' WITH 1 ½" FLANGE STAPLE GROOVE DOWN





Minimum Order Quantity: 71 pcs






1" X 2" X .090" WALL Minimum Order Quantity: 67 pcs STANDARD STAPLE






.125" WALL X 24' Minimum Order Quantity: 48 pcs SIDE STAPLE


2"
MI-2X2
29" WALL X 24'
SQ. TUBE
ADIUS CORNERS



MP2X2
.125" WALL X 24'
STAPLE GROOVE



Minimum Order Quantity: 37 pcs





MP5H
.090" WALL X 25' 6"
HINGED FLEX BLEED
RETAINER W/FLANGE STAPLE



Minimum Order Quantity: 39 pcs

STANDARD AWNING
RAIL 20' LONG
Minimum Order Quantity: 500 pcs

Minimum Order Quantity: 38 pcs

*The items on this page are available by special order with a minimum order weight of 1,0000 pounds. Each item has a different weight and therefore and different order quantity. Supply Bright cannot guarantee minimum order quantity as all Mill Run Order Extrusions have a shipping and manufacturing tolerance of +/- 5%.

Voice - 844-448-3207 fax: 844-780-0910




Aluminum Extrusion

SPECIAL ORDER EXTRUSIONS


Call for availability and estimated delivery times.

- variety of sizes and wall thickness available! We reserve the right to ship +/- 5% per item ordered and charge accordingly



Architectural Angles Equal Leg

Sizes Range From 0.75" x 0.75" x .050" to 3.0" x 3.0" x .25"



Architectural Angles
Unequal Leg

Sizes Range From 0.50" x 0.75" x 0.62" to 3.0" x 4.0" x 0.25"




Schedule Pipe
Available in
Schd 10, Schd 40 & Schd 80
Call For Sizes (max size 2.5")




Bar Stock
Square Corners

Sizes Range From 0.50" x 0.125" to 6.0" x 0.375"




Architectural Channels

Sizes Range From 0.50" x 0.50" x 0.050" to 5.0" x 2.0" x 0.25"



Solid Rod Sizes Range From .5" & .75"



Round Tubes
Sizes Range From

Sizes Range From 0.50" x 0.094" to 5.0" x 0.125"



Square Tubes

Sizes Range From 0.50" x 0.062" tp 6.0" x 0.188"



Rectangular Tubes

Sizes Range From 0.75" x 1.50" x 0.040" to 4.0" x 6.0" x 0.125"

Please call for availability and delivery times

Voice - 844-448-3207 fax: 844-780-0910




Aluminum Extrusion

SPECIAL ORDER EXTRUSIONS

Call for availability and estimated delivery times.

Mill Run Only - 1,000 Pounds Minimum Per Item Call For Estimated Delivery Time

We reserve the right to ship +/- 5% per item ordered and chrage accordingly



Rectangle or Square Tube, Sharp Corners



A F-1
Square Bar






Rectangle or Square Tube, Radius Corners




Round Tube/ Schedule Pipe








Rectangular Flat Bar




ar Tee / American Standard (Structural)






I Beam / American Standard (Structural)






Channel





Channel / American Standard (Structural)



Channel / AA Aluminum Association

Please call for availability and delivery times

Voice - 844-448-3207 Web Site: www.SupplyBright.net E

fax: 844-780-0910

E-Mail: Sales@SupplyBright.net

Frozines AVNING KITS

Wholesale To the Awning and Sign Industry


Milliken Matched Component System - Industry Leader for Over 30 Years

- No Inventory To Carry... Supply Bright Furnishes Everything For Your Projects!
- No Wasted Aluminum Due To Miss Bend Bows Or Cut Extrusions.
- In House Drafted And Manufactured To Your Specification.
- We Supply All Trusses Welded And All Horizontals Cut To Size.
- Attached Horizontals To The Trusses Either Welded Or With Fast Clips.
- Stretch And Staple Your Farbic.
- Ready For Install With Supply Bright Z-clips.
- Multitude Of Shapes And Styles. Custom Configurations Welcomed!





STANDARD AWNING STYLES



Call or E-mail for Your Quote Today!

844-448-3207 Sales@SupplyBright.Net



Awning Kit Information

How To Request An Estimate For Your Awning Kit

Supply Bright awning kits offer you the opportunity to offer awnings to your customers. Our awnings will come to you with each truss cut and welded, and all lineal horizontals will arrive cut to proper length ready for assembly. Once the awning kit arrives, all you need to complete is the welding of the lineal horizontal to the welded trusses (or use our non-weld Fast Clips), stretch & staple the fabric on to the completed frame, add the PVC Insert and install.

Some benefits of our awning kits...

- 1) Custom designed and standard awning styles are available as awning kits.
- 2) No Inventory to carry.
- 3) No wasted aluminum.
- 4) No drops from fabrication.
- 5) Any size or style can be made into an awning kit.
- 6) Below is a sketch of our standard awning styles.

The following information is required for an awning estimate...

- 1) The width of each awning.
- 2) The height of each awning.
- 3) The projection of each awning.
- 4) The height of the sign band for each awning.
- 5) If awning fabric is requested, specify type, manufacture and color.
- 6) Is the awning kit to be egg crate ready?
- 7) Does the awning have closed ends?

*** It is recommended to submit to Supply Bright a sketch of the proposed awning with dimension listed ***

Truss or Double Truss

Lineal Horizontals

Review structural drawings with a Local Architement of the proposed awning with dimension listed ***

Review structural drawings with a Local Architect. Engineer, your Customer, and the local Political Subdivision Building Department(s) to be certain that these products meet suitability, fitness and legal building code compliance. Supply Bright makes no representation, either express or implied, that these drawings, and our fabrication meet your local building codes.


Voice - 844-448-3207 Web Site: www.SupplyBright.net fax: 844-780-0910

E-Mail: Sales@SupplyBright.net



Awning Kit Information

How To Request An Estimate For Your Awning Kit - cont'd



Awning Fabrication Specifications...

- 1) All awning kits will be fabricated with 1" x 1" x .090 tubing unless specified in advance by customer.
- 2) Awning kits will have trusses welded together and each lineal horizontal will be cut to specific lengths to fit.
- 3) Fabric will NOT be attached to any framing. If fabric is ordered, all fabric will come in one roll. It becomes the customers responsibility to cut the rolled fabric to fit. Customers MUST verify fabric yardage prior to ordering.
- 4) Supply Bright does not fabricate free flowing valance.
- 5) There are different orientations of the fabric to fit the frame, it becomes the customers responsibility to inform Supply Bright how they prefer to orientate the fabric on the frame. Extra trusses or lineal horizontal made be needed to fit the fabric orientation, and charges for extra will be added to final bill.
- 6) Supply Bright offers fabric welding through a third party and will be billed to the customer by Supply Bright (please allow 2-3 weeks for all heat seaming). Supply Bright DOES NOT offer any eradication service or digital printing service.
- 7) Span between trusses will be 36 to 48 inches based on design and dimension of awning. If other spacing is required, please note at time of estimate request.
- 8) Due to UPS Ground shipping constraints, no one section will exceed 92 inches in width.
- 9) If "egg crate ready" is required truss spacing and lineal horizontal spacing will be designed to fit with a 24"x 48" egg crate with odd size space added to end of awning section. Supply Bright does not offer egg crates.
- 10) Staple groove orientation
 - a. Rear horizontal will have staple groove facing up.
 - b. Front and side (bottom of truss) will have staple groove facing down.
 - c. Sign band will have staple groove facing out.
 - d. All double truss pieces will have staple groove facing inwards toward each truss.
 - e. Free flowing valance will have staple grove on bottom of frame facing out.
- 11) Unless stated on quote, Z-Clips, PVC Staple Groove Insert, and Fast Clips are not included with awning kits.
- 12) Hardware for mounting, and attachments are not included. Electrical fixtures and components are not offered.
- 13) It is the customers responsibility to review any structural drawing supplied to or from Supply Bright with a local Architect, Engineer, you Customer and the local Political Building Department(s) to be certain that these products meet suitability fitness and legal building code compliance. Supply Bright makes no representation, either expressed or implied, that any drawings or our fabrication meet your local building codes.

Voice - 844-448-3207 fax: 844-780-0910



METAL AWNINGS & CANOPIES

Wholesale To The Trade

A Solution To All Your Metal Awning Needs.

Supply Bright offers a simple solution for sign and awning companies to assist in providing to their customers various awning needs.

We create quality metal and fabric awnings to your specifications and sizes that will enhance any sign or building.

Our goal is to provide fully fabricated and finished awnings & canopies that are completely assembled and ready for installation.

The installation process is simple and secure and included with all products a complete installation package to guarantee a secure connection.

Send in your drawing and specifications for an immediate estimate!

























Review structural drawings with a Local Architect. Engineer, your Customer, and the local Political Subdivision Building Department(s) to be certain that these products meet suitability, fitness and legal building code compliance. Supply Bright makes no representation, either express or implied, that these drawings, and our fabrication meet your local building codes.

Voice - 844-448-3207 fax: 844-780-0910



Standing Seam Awnings

YOU HAVE SEEN THEM,

BUT MAY NOT KNOW WHERE TO GET THEM.

Standing Seam Metal Awnings are now available from Supply Bright.

Our Standing Seam awnings are comprised of aluminum frame shells and interlocking aluminum panels. They're durable and provide protection from the weather, and they're available

in many colors!

Standing seam metal awnings add a distinctive finishing look to any retail, residential or commercial building. Manufactured with durable aluminum that won't rust or corrode, they are

ideal for long-term architectural and industrial applications. Standing Seam Awnings offer a long-term solution to shade and weather



Review structural drawings with a Local Architect. Engineer, your Customer, and the local Political Subdivision Building Department(s) to be certain that these products meet suitability, fitness and legal building code compliance. Supply Bright makes no representation, either express or implied, that these drawings, and our fabrication meet your local building codes.

Voice - 844-448-3207 fax: 844-780-0910



"Z-BLADE" BAHAMA SHUTTER

Non-Impact Decorative Bahama Shutter Commercial and Residential

Bahama shutters assist with natural climate control * Help conserve energy Allow you to control the amount of air entering through the window Provide privacy and protection * Provides noise dampening properties



Tropical Decorative Style
All Aluminum Construction
Painted Color Selection
Interior and Exterior Use
Telescoping Arms - Up to 32"
Integrated Full Length Matching Top Hing
Ready For Installation
Non-Impact Rated
No Inventory to Carry
Manufactured to Your Specifications
Shipped Directly to You
No Waste - Everything Included
Made in the USA














Non-Impact Bahama Shutter are a decorative exterior or interior window ornament.

Review structural drawings with a Local Architect. Engineer, your Customer, and the local Political Subdivision Building Department(s) to be certain that these products meet suitability, fitness and legal building code compliance. Supply Bright makes no representation, either express or implied, that these drawings, and our fabrication meet your local building codes.

Voice - 844-448-3207 fax: 844-780-0910



"Z-BLADE" BAHAMA SHUTTER

CMG COLOR CHART FOR STANDING SEAM AWNINGS & NON IMPACT BAHAMA SHUTTERS

Standing seam awning products will have color choice on top and sides. The underside of the standing seam pans will be the mill/white wash.



Ultra-Clad pre-finished metal features Dura Coat Durapon 70% full strength PVDF paint finishes formulated with Cool technology. This high performance product provides the ultimate in resistance against fading and weathering. In addition to our standard colors, custom colors are also available upon request. Denver, CO Indianapolis, IN Madison, WI Minneapolis, MN



Phoenix, AZ Salt Lake City, UT Nashville, TN Charlotte, NC

Colors shown represent the actual colors as accurate as modern printing technology will permit.
Colors represented on electronic charts may not match actual material. All colors should be verified using actual metal samples. Mismatch of electronic color representation and actual material shall not be accepted as a cause for rejection.

Custom colors not shown above will incur extra production time and extra cost.

Review structural drawings with a Local Architect. Engineer, your Customer, and the local Political Subdivision Building Department(s) to be certain that these products meet suitability, fitness and legal building code compliance. Supply Bright makes no representation, either express or implied, that these drawings, and our fabrication meet your local building codes.

Voice - 844-448-3207 fax: 844-780-0910



Flex Face Frame Extrusion



MATCHED STANDARD STAN

Need A Flex Face?
Need to Replace an Existing Flex Face?
Need to Replace a Pan Face for Flex Face?
Need a New face on an Existing Cabinet?



Digital Printed Flex Face Material



Flex Face Frame Backside With MI-20 Offset & Corner Backset Braces



Supply Bright's unique system for folding frame and face for lower shipping cost

Supply Bright offers Flex Frame extrusions for any size face. Using our proprietary Flex Frame Profile you can retro-fit a flex face to any existing cabinet with no modification necessary to the cabinet.

Our Flex Face Frame is designed to fit around the outside of the cabinet, Outside Dimensions (OD) is necessary to create the correct size frame. It is recommended that the ID of the Flex Frame be 1/4 inch bigger then the OD of the cabinet.

Our Flex Frame profile will accept any type of customers substrate, digital print, screen print, vinyl application, and can be either translucent of opaque

Supply Bright Flex Frames can be made to virtually any size.



Installed Digital Flex Face Internal Illumination



Installing a Flex Face Retrofit to existing cabinet

Emily:

Thanks for being patient and you are very nice to work with. Appreciate how you treat us here at Central.

Alan - Kansas

Voice - 844-448-3207 fax: 844-780-0910



Flex Face Frame Extrusion Kit



Available for New & EXISTING Sign Cabinets



Sample Frame



Back Side Showing Frame Structure


Front Side with Stretched Fabric



159" tall x 180"wide Flex Face with Frame



Flex Face attached to Frame Folded and crated for shipment



Frame for above Flex Face









14ft x 12 ft

10x 15ft


Voice - 844-448-3207 fax:

fax: 844-780-0910




Flex Face Frame Extrusion Kit


FLEX FACE KIT COMPONENTS CROSS SECTION



CORNER ISOMETRIC VIEW



Sketch of Brace Supports



Mounting and Attachment Hardware are NOT Included with Flex Face Kits.

Voice - 844-448-3207 fax: 844-780-0910







COMPLETE ASSEMBLY WITHOUT WELDING FIX BROKEN WELDS IN THE FIELD.

15 Piece Minimum Order - Mix 'N Match





FC-2



FC-3



FC-4R



FC-4L



FC-5R



FC-5L



FC-6



FC-7



FC-8



FC-9



Traditional Style Truss Assembled with No Weld




FC-15



FC-16



6



Voice - 844-448-3207 Web Site: www.SupplyBright.net fax: 844-780-0910

E-Mail: Sales@SupplyBright.net



The FastClip System from Supply Bright eliminates the need for welding awning or sign components together. The FastClip System is also great for on-site repairs. No more bringing the awning or sign component back to the shop to fix a broken metal support. Using a screw gun, self-tapping tek screws and our FastClips most repair jobs can be done on site!

The FastClip system was originally designed with the FC-1 and FC-7 for quick and easy on-site repair. It was then developed into 11 different designs and used in combination, awning frames and sign components can be assembled to create or repair almost any size and shape awning or sign.

When used as part of the Matched component System, and Supply Bright's original extrusion profiles, the FastClips are designed to work together to make tight bond.



Awning Tools and More...



Sold Exclusively by Supply Bright

STAPLE GUN

Our lightweight, powerful pneumatic staple guns are designed especially for the staple in awning profiles. This unique staple gun fits snugly into the staple groove to cleanly pierce the aluminum and the fabric to hold the fabric securely in place against the staple channel.





AIR HAMMER

Our pneumatic hand held air hammer provides precisely the correct amount of cushioned force that is required to mold the staple groove insert securely in the staple channel.

TENSIONING CLAMPS

These versatile tensioning tools allow you tightly hold the fabric into the staple channel as you to stretch the awning fabric over the aluminum frame. As the tool clamps the fabric into the frame thus allowing you to position and create a drum tigh finish prior to stapling.





Z-CLIPS

These rugged mounting brackets are made from 1/4 inch aluminum, with an internal radius to meet our awning profiles. Use the Z-Clips to attach the awning frame to the building. Our aluminum Z-Clips have been designed to meet most building codes.

Now available in aluminum and steel.

AWNING STAPLES

Our 35 year old special design awning staples offer a Twist "N Lock feature that secures the fabric to the staple groove. The staple twist while being driven through the staple channel and locks the fabric into the staple groove offering a tighter bond between the metal and the fabric.



Available in boxes of 5,000 count or cases of 10 boxes.



STAPLE REMOVER

Forged from alloy tempered steel. A consistently made Osborne quality product. Carefully hardened for long lasting use. Hardwood handle with nickel plated ferrule.

Voice - 844-448-3207 fax: 844-780-0910



Awning Tools and More...

Awning Fabrication Tool Kit

Sold Exclusively by Supply Bright

MATCHED STAPPES YSTEM COMPONENT

Supply Bright's Awning Fabrication Tool Kit includes all the necessary items needed to assemble and fabricate an awning (less any welding equipment). Using our quality tools, you can be assembling and selling awnings for many years.



Stapling Reference Manual: Bound hard copies can be purchased for \$9.95 each



Supply Bright's Awning Fabrication Tool Kit Includes...

Staple Gun	1
Air Hammer	1
Fabric Tensioning Clamps (6 count)	4
Router Plate	1
Router Bit	1
Galvanized Staples (5,000 count)	4
Hand Held Staple Remover	1

Special Pricing For Tool Kit When Sold Together - Prices may change without notice

just wanted you folks to know we love your awesome service.
much regards.
blessings
J & L Corcoran - Florida

Voice - 844-448-3207 fax: 844-780-0910
Web Site: www.SupplyBright.net E-Mail: Sales@SupplyBright.net



Twist 'n Lock Staples

Why Trust Supply Bright Staples For Your Awnings?

Supply Bright "Twist 'n Lock" Staples




5/16" Crown x 3/8" Leg (8.48mm x 9.53mm)

Supply Bright Twist 'n Lock staples offer a stronger hold on the awning material than the standard chisel staples. Our custom staple have been designed for the awning industry so the staple legs will flare out in opposite directions and twist as it travels through the staple channel. This Twist 'n Lock method draws the fabric tighter to the frame and enhances the locking of the fabric to the frame. Our Twist 'n Lock staple has been a proven industry design for over 30 years.

The chisel staple does not offer this unique Twist 'n Lock feature. In contrast these staple legs, when coming in contact with the staple channel, travel straight through the fabric and the staple channel. There is no increased locking of the fabric to the frame as in our staples.

Awning Chisel Point Staples



Our Twist 'n Lock staples are available in 5,000 count boxes and 50,000 count cases.

Voice - 844-448-3207 fax: 844-780-0910



Aluminum Cleaners

Aluminum Cleaner and Protector

Authorized Distributor

Aluminum Brightener

The aluminum acid brightener of the future and the future is now!





Removes: Oxidation Water Stains Road Grime Algae & Scum Lime Deposits



Visit our Web site www.SupplyBright.net to see the video of this product in action Works just like traditional aluminum cleaner and brightener - Forget the toxic and poisonous concerns.

Concentrated Gallon





SB-OxiX

Innovative, Bio-Freindly Rust & Oxidation Barrier Preserves and Protect All Metals!



To be used as a stand-alone sealer or as a primer that can be painted over with. excellent adhesion. Dries within minutes and will last for years. Can be applied over rusted or oxalated surfaces to prevent further corrosion. Lox VOC's allows you to use it in confined places, and it is water reducible - No Special Disposals Requirements.



Voice - 844-448-3207 fax: 844-780-0910



Awning Fabric Cleaner

Proudly Presenting | SSO Products



IOSSO MOLD & MILDEW STAIN REMOVER – Concentrated!

Color & Fabric Safe! Removes mold, mildew, algae stain, leaf stain, tree sap, bird droppings, spider droppings, tough dirt, grease and oil, food and drink stains, blood stains and more. Recommended for use on awnings, tents, boat covers, cushions, carpeting, umbrellas, campers, camping gear, inflatable, fabrics, vinyl, plastic and fiberglass. Safe for use on Sunbrella fabric. It is non-chlorine, biodegradable and has no harmful vapors. One jar makes up to three gallons of solution. One gallon cleans 150 sq. feet. Labeled in both English & French.

Available 4 oz. (makes 1 gal) 12 oz. (makes 3 gal.) and Special Order 65 oz.(makes 16 gals.)

IOSSO WATER REPELLENT – Invisible Protection!

Effective on all fabrics. It protects from water, soil, oil, bird droppings, and environmental pollutants. Recommended for use on awnings, canopies, tents, patio furniture, cushions, umbrellas, tarps, boat covers, Bimini tops, hunting fabrics, camping gear, leather, synthetics, and vinyl. Safe for use on Sunbrella Fabric. Formula is non-solvent, and non-silicon. One gallon covers up to 150 square feet. Labeled in both English & French.

Available in 32 oz spray and 1 gallon ready to use & 1 gallon concentrate(5 gals.)





IOSSO SEAM SEALER Invisible Protection!

IOSSO seam sealer prevents seams from leaking. It works best for use on cotton, cotton blends, polyester and synthetic woven fabrics. Water repellancy will vary with vinyl coated and vinyl laminated fabrics due to seam construction. It will not change the look or feel of the fabric. Ideal for boat covers, awnings, tents, backpacks, etc. Labeled in both English & French. Available in 4 oz applicator bottle & 1 gallon ready to use.

IOSSO Cleans it all! These flat compressed sponges pop up into a full sized sponge when wet. Super heavy duty sponges can be used to clean just about anything. Works well with the losso Mold & Mildew Stain Remover to clean boat seats, covers, indows, counter-tops, etc. Once wet they are 5-1/2" long x 2-3/4wide x 1/4 thick. Super absorbent and long lasting. (Photo shows one flat, and one after it is wet.) Price shown is for one. Call for quantity pricing.





IOSSO VINYL and LEATHER CLEANER & CONDITIONER

Protects from Drying and Cracking. This special blend cleans and conditions in an easy spray formula. With the finest natural oils, it protect vinyl, leather, and rubber. It restores appearance, natural feel and makes scratches less visible. It leaves a light gloss and protects against drying & cracking. Non-silicone formula. Great for cleaning clear vinyl. Labeled in both English & French. Available in 16 oz. spray bottle, or 1 Gallon ready to use.

Voice - 844-448-3207 fax: 844-780-0910



Additioanl Cleaners & Polishers

Proudly Presents IOSSO® Products

Products listed on this page are special order available in quantities listed.

ODOR BUSTER - Permanently stops odor on contact. Has No Odor, Leaves No Odor. Available In: 4 oz., 32 oz., 1 gallon, and 5 gallons

E-Z SNAP - For Snaps, hinges and hardware. Lubricates, waterproofs, and reduces friction. Available In: 1.5 oz

SAFE-T-SOLVE: USDAA Bio Preferred Formula. Tough acting cleaner & de-greaser penetrates to lift grease, oil, carbon, adhesive, glue, ink, marker, surface rust, road tar, dried bugs, black streaks and more.

Available In: 4 oz., 32 oz.,1 gallon, & 5 gallon

FIBERGLASS RE-CONDITIONER - One Step - Restores and Protects. Removes oxidation, chalking, water line, water spots, tar and oils.

Available in: 16 oz., 5 pounds, & 5 gallons

IOSSO METAL POLISH: Original Formula - Removes oxidation, tarnish, surface rust, water spots, calcined deposit, tar, oil, grease and even removes graffiti from many surfaces without scratching or dulling.

Available In: 3 oz., 6 oz., & 5 pounds

LIVE WELL CLEANER: Safe for Fish - Cleans algae, mold & mildew, slime blood stains ands odors. Great for live wells, bait buckets, coolers, thermos jugs, refrigerators & freezers.

Available in: 4 oz.

TEAK CLEANER: Clean & Brightens in One Step - Clean your teak without harsh chemicals. Biodegradable solution.

Available In: 16 oz., or 80 oz.

PONTOON CLEANER & POLISH: for Aluminum Pontoons and Boats - Removes oxidation, tarnish, surface rust, waterline marks, tars, water spots and oils.

Available In: 1 lb only

IOSSO METAL POLISH: Bio Based Formula & Odorless - Works the same as our original formula metal polish. Biodegradable, low VOC, low flame ability. Passes CARB requirements for metal polish in the state of California.

Available In: 1 lb, 5 lb, & 5 gallons

Tent & Camping Gear Cleaner - For use on all tenet fabrics, back backs, sleeping bags, cots, beds, chairs, canvas covers and tarps. Maybe use on vinyl, plastic, canvas, carpeting and wood. Removes dir, mold, mildew, algae, tree sap, leaf stains, bird droppings, most food & drink stains and blood stains.

Available In: 12 oz only

COOLER CLEANER: Removes Mildew ands Deodorizes - For coolers, ice chests, thermos bottles and plastic ware. Leaves no odor or residue.

Available In: 16 oz only

Voice - 844-448-3207 fax: 844-780-0910







Whether for fixed or retractable awnings, umbrellas, pergolas, architectural shading structures or the covers on your golf cart, Sattler has the perfect fabric. When it comes to performance and design, there is nothing better than Sattler. Sattler's 47" and 60" awning fabrics are made from 100% solution-dyed acrylic and guarantee top-level functionality.

Sattler's awning fabrics are labeled with a UV factor which ranges from 40 to 80; therefore they guarantee an effective sun protection. All products comprised in the collection are free of PVC, 100% woven with solution-dyed branded acrylic and are produced under strict quality controls in order to comply with the highest standards. With its high-tech products Sattler fulfills the quality promise to achieve premium quality and at the same time meets a wide range of demands.

60 Inch Solid Collection Overview





47 Inch Solid Collection Overview

This means that Sattler's fabrics promise:

- Bright and luminous colors for many years
- High UV fastness and durability
- Use of the best weather-proof outdoor fiber
- Outstanding dirt and water repellency
- Pleasant textile feeling
- · Breath ability
- Easy installation and cloth Change

To view Sattlers Complete Collection of Colors and Stripes, Visit Our Web Site: www.SupplyBright.Net

Voice - 844-448-3207 fax: 844-780-0910

Web Site: www.SupplyBright.net E-Mail: Sales@SupplyBright.net







Sattler 745 Evolution is a flame-retardant, PVC coated textile; specifically designed for the North American markets. It boast all of the popular new color ranges, comes standard with a matte varnish - accepting multiple type of graphic options. A durable fabric that can be used in more than one type of application.

Applications:

LIGHT STRUCTURES FIXED AWNINGS CANOPIES TENTS PARTITION CURTAINS

Produced in Austria, all of our fabrics fulfill the strictest quality and environmental standards. This is guaranteed by ISO 9001 Quality Management System and ISO 14001 Environmental Management System certificates.



- * PVC Coated Material * Matte Varnish to reduce glare * 100% Waterproof
- * Graphic Receptive * Flame Retardant * REACh Complaint * 63" Width

To view Sattlers Complete Collection of Colors and Stripes, Visit Our Web Site: www.SupplyBright.Net

Voice - 844-448-3207 fax: 844-780-0910

Web Site: www.SupplyBright.net E-Mail: Sales@SupplyBright.net



T15 WHITE

T15/14 OYSTER

T11 RED

Awning Fabric



Supply Bright is proud to announce the arrival of TempoTest Awning fabric. Available for immediate shipping (in 5 yard minimum order) you can choose from a full palate of solid colors or over 85 unique stripe patterns. Compare TempoTest Fabric to th most popular awning farbic and you will be amazed to find how outstanding TempoTest truly is...

Tempotest fabrics integrate perfectly in any outdoor space creating a protection from the sun radiation, adding a touch of color and elegance. Tempotest is the biggest fabric collection for awning, created for any life style. The quality of the solution dyed fibre and the innovative finishing Teflon® Extreme by Parà fabric protector, make Tempotest fabrics water/oil repellent, resistant to mold, stains, salt and U.V. fading.

60" Coated (waterproof) Fabric





Tempotest Starlight FR® Flame Retardant





TempoTest Fabric Offers...

- Dupont Teflon Technology
- Industry standard 10 year warranty
- 47" width fabric offers 98 patterns/colors
- 60" width fabric offers 30 color (also available in waterproof acrylic backing)
- 85 stripe patterns
- 8.8 ounce weight for standard fabric
- highest overall tongue strength
- Highest tensile strength @ 170/100 DaN

See Our Web Site For The Complete Selection Of Tempotest Solids And Striped Fabric

Voice - 844-448-3207 fax: 844-780-0910

Web Site: www.SupplyBright.net E-Mail: Sales@SupplyBright.net






Majesty is a brilliant back-lit fabric which has a white backing which enhances color translucency. This is a proven choice for both awning and sign. Majesty will provide long term durability to your application and create the vibrant attention you would expect from your back-lit awning.

Great fabric choice for our Flex frames.

60 Inch Wide Fabric



80 Inch Wide Fabric



Specifications
DESCRIPTION:
High performance backlit fabric for all digital printers, specifically made for outdoor use.

Enhanced clarity and visible image creation by suitable transmittance.

WEIGHT: 15 ounces / 17 ounces WIDTH: 15oz: 61inches x 50 yards

17oz: 80 inches x 35 yards

SURFACE: High Gloss Finish

TRANSPARENCY: Unique bluish white translucent substrate

for wide format backlit display.

ABRASION RESISTANCE: Tensile Strength > WARP: 700, WEFT: 800 DIMENSIONAL STABILITY: Tearing Strength > WARP: 140; WEFT: 160;

Denier: 500x800 / 18x14

FLEXIBILITY: Elongation > WARP: 27.5; WEFT: 33.5 FLAME RESISTENCE: Approved California State Fire Marshall Title 19.

SEC 1237 ASTM E84-81A Flame Spread Rating

Class A (15)
MILDEW RESISTANCE: Excellent
WATER REPELLENCY: Waterproof

SEWABILITY: Excellent
HEAT SEALABILITY: Excellent
ADJUSTICAL Adhesion

ADHESION STRENGTH: Adhesion Strength > WARP: 156; WEFT: 163

UV PROTECTION: Excellent

Voice - 844-448-3207 fax: 844-780-0910


Web Site: www.SupplyBright.net E-Mail: Sales@SupplyBright.net





Awnmax awnings are one of the most high-quality awning fabrics on the market today. They provide homes and businesses across the country with superior shade along with proven strength and durability.

There are many benefits that come along with using Awnmax awning fabrics. These awnings are tried and tested products in the industrial fabric industry. So, when you purchase Awnmax fabrics, you know you're providing the very best for your customers.



Description

- All Colors 80"" Width
- Flame retardant meets, CSFM NFPA 701, CAN ULC S109M, UL214, ASTM-D568, SDTM-E84
- Accepts 3M Scotch Translucent Films
- Proven durability performance with 8 year trouble free warranty
- Unparalleled translucency: lights move evenly and vibrantly
- Retains day time color when backlit
- NZ-1 Acrylic topcoat provides superior clean-ability, resists marking and bruising
- Patented scrim provides superior strength, and is virtually invisible when back lit
- Unrivaled dye lot consistency
- Excellent R.F. Weldability
- Available in custom colors
- 8-year trouble free warranty

Technical Data

SKU: AWNMAX-Category: Awnmax

Width/Length: 80.1 in. x 32 yd.

Weight: 19 oz./sq. yd. Thickness: 20 mil

Std Roll Length: 32 yds.

Tensile Strength (strip): Warp- 214 Fill- 175 Breaking Elongation: Warp- 25% Fill- 26% Tear Strength (trapezoid): Warp: 48 N Fill: 38 N

Voice - 844-448-3207 fax: 844-780-0910

Web Site: www.SupplyBright.net E-Mail: Sales@SupplyBright.net



Recsystem

RECsystem acrylic fabrics are the natural evolution of Recacril® fabrics, designed to achieve higher impermeability by enhanced coating process utilizing high-tech resins. Because the acrylic incorporates the same proven weaving technology as RECacril along with high-tech resins, results with an acrylic fabric with hydrostatic head rating over 1000 mm. The special coating formulation and implementation process provides additional resistance to crazing or wrinkling that often occurs during the manufacturing process with other acrylic fabrics. The coated side of RECsystem does not show shine or have a whitish appearance due to the resin finishing, so it?s coated back still has a much closer resemblance to the top surface of the fabric. RECsystem is engineered providing a great solution for tougher environments where the need in keeping the covered spaces dryer, compared to what standard woven fabrics can provide.

Features:

- □ Out standing fade resistance only solution dyed acrylic fabrics can provide.
- ☐ Withstands harshest weather conditions.
- ☐ Blocks up to 99% of harmful UV rays.
- ☐ Dirt and oil repellent, mildew resistant, and antibacterial.
- □ Superior water resistance due to double coating (Fluorocarbon both sides, acrylic resin one side).
- ☐ Combines waterproofness and breathability.
- ☐ Will not unravel when scissor or knife cut.

Width: **60**"



New undercoating

Recsystem's undercoating is nearly invisible from most angles, contains two different and highly effective antimicrobial agents, eliminates leaking and misting in driving rain storms, and is highly resistant to crazing and marking.

RECSYSTEM TECHNICAL FEATURES				
Brand	Recsystem			
Composition	100 % Solution Dyed Acrylic			
Width	60" ±1 %			
Weight	9.60 oz ±5 % (UNE 53352)			
Finish	Acrylic resin one side, Fluorocarbon finished both sides			
Water Column	>1000 mm (UNE EN ISO 20811)			
Standard Roll Length	65.64 yds			

One way we believe "we're woven differently" is the way we respond to consumer demand; we're continually looking to our customers to guide us as we diversify our product line. Based on an increasing demand for an acrylic fabric that has superior performance under extreme weather conditions, we present Recsystem, a highly durable resin coated solution dyed acrylic for the Marine and Awning Industry.

Voice - 844-448-3207 fax: 844-780-0910

Web Site: www.SupplyBright.net E-Mail: Sales@SupplyBright.net





RECacril® canvases are high-performance fabrics made from fade resistant solution-dyed acrylic fibers, specially designed for awning and sun protection products.

All spinning and weaving processes are optimized to give the canvas a high tensile and tear strength, and to produce an excellent surface finish for applying the Infinity Process high-tech coating.

The Infinity Process is a proprietary finishing technique that offers exceptional repellancy to water and dirt, superior dimensional stability, and creates a durable fabric that keeps its aesthetic allure over the life of the product.

RECacril canvases are very easy to handle because the fabric has a consistent firm hand and excellent flat lay that makes it easy to cut, sew, and fabricate. The tight weave structure and smooth surface of RECacril canvases make printing easier. These elements provide better adhesion of the vinyl when heat transfer equipment is used. If screen printing is used, the closed structure of the yarns allows less ink to pass through the fabric, resulting in sharper, better-defined prints.

RECacril canvases follow rigorous quality control standards throughout the manufacturing process, meeting all requirements for obtaining approval of the UNE-EN 13561:2004+A1:2009 performance requirements for awning safety.

FEATURES:

- Tighter weave
- Superior Stability
- Unsurpassed fade resistance •
- · Better to cut and sew
- Proprietary Infinity finishing process
- Long lasting water resistance
- Stain resistance
- 10 year warranty

RECACRILL SAMPLE COLOR PALATE



Voice - 844-448-3207 Web Site: www.SupplyBright.net fax: 844-780-0910

E-Mail: Sales@SupplyBright.net



Awning Fabric

COOLEY-BRITE®

Cooley Group's 90-year-history of proven performance via continually innovative solutions and through the development of sustainable chemistry is evident across its vast array of industrial applications. From its beginnings as merely a manufacturer of awnings, Cooley has evolved into a global manufacturer of high-performance polymeric solutions – ranging from military inflatable boats to commercial fuel tanks, from billboards and banners to signs and awnings, and from commercial single-ply roofing to water protection/preservation initiatives.

Cooley-Brite®II

The performance benchmark for eradicable backlit flexible substrates, this resilient, 20-ounce product comes with a ten-year warranty* Cooley-Brite II features the proven performance of our Cooley-Brite substrate with the added protection of our CoolThane® topcoat formulation, which enhances clean ability and extends the life of the product.



Voice - 844-448-3207 fax: 844-780-0910

Web Site: www.SupplyBright.net E-Mail: Sales@SupplyBright.net

Please beware that printed colors and digital colors may not match the exact color. Please refer to actual samples for exact color matching



Awning Fabric

Cooley-Brite® Lite

Cooley Group's 90-year-history of proven performance via continually innovative solutions and through the development of sustainable chemistry is evident across its vast array of industrial applications. From its beginnings as merely a manufacturer of awnings, Cooley has evolved into a global manufacturer of high-performance polymeric solutions – ranging from military inflatable boats to commercial fuel tanks, from billboards and banners to signs and awnings, and from commercial single-ply roofing to water protection/preservation initiatives.

Cooley-Brite® Lite

Based on the same proven technology as Cooley-Brite, Cooley-Brite Lite is translucent, flexible, and durable – it is also lighter in weight, offering unique flexibility for ease of installation. This eight-year warranty*, 16-ounce eradicable substrate is engineered for high-color brilliance and consistent color transparency.



Voice - 844-448-3207 fax: 844-780-0910

Web Site: www.SupplyBright.net E-Mail: Sales@SupplyBright.net

Please beware that printed colors and digital colors may not match the exact color. Please refer to actual samples for exact color matching



Awning Fabric

WEATHERTYTE® PLUS

WeathertytePLUS —and its lightweight version WeathertytePLUS Lite—is a premium, textured vinyl substrate used in awnings, canopies, umbrellas, pole banners, garden furniture, marine, and other specialty applications. These weather-resistant and fully waterproof materials offer the luxurious look, feel, and texture of decorative fabric.

WeathertytePLUS provides extremely effective coverage for any establishment, including retail stores, restaurants, country clubs, hotels, schools, public buildings, mixed-use projects, residential developments, strip malls, recreational vehicles (RV), mobile storage, and more. This new product is stocked in thirteen custom colors (plus white) to enhance any storefront while protecting windows and doorways from sun, rain, and snow. WeathertytePLUS is optimized for use with solvent, UV, and latex printers, and is receptive to pressure-sensitive film.



FEATURES & BENEFITS

- Look and feel of a woven fabric, with the benefits of a high-performance composite vinvl
- Excellent weatherability, easy to clean, and stain-resistant
- Waterproof
- Resists sagging
- Digitally printable, with virtually endless design options
- Easy to handle and highly durable throughout the fabrication process
- Less seaming during fabrication at 74" wide
- Heat weldable

Voice - 844-448-3207 fax: 844-780-0910

Web Site: www.SupplyBright.net E-Mail: Sales@SupplyBright.net

Please beware that printed colors and digital colors may not match the exact color. Please refer to actual samples for exact color matching



Awning Anchors

SPRCIAL ORDER

American Earth Anchors

Special Order Product...

Penetrator - PE26

Aircraft quality cast aluminum 356 Alloy Heat treated to T6 specifications Install with 1" or 26 mm socket Removable

Anchor your awning post without the need for concrete - no digging. Just screw the PE26 Penetrator in the ground, insert the Base Collar, secure your round post to the collar and enjoy another perfect installation

Call for the full product catalog of American Earth Anchors



Ratcheting T-handle for installing hex-head and square-drive Penetrators except PE9 and PE46Hex/Guy

Z CLIPS



Manual T-handle for installing hex-head and square-drive Penetrators except PE9 and PE46Hex/Guy



LOAD CAPACITY* *See notes on price page for Load Capcity
Pullout strength with flight fully embedded



PE26

PE46Hex

For 1x1 Wall Mount **Round Base Collar** Plated silver It is the customers sole responsibility to review product for installation with your Architect and/or Engineer, your customer, and the local political subdivision Building Department(s) to be certain that these products meet suitability, fitness, and legal building code compliance. Supply Bright, LLC and American Earth Anchors makes no representation either expressed or implied, that these products meet your local building codes or written Load Capacity.

> Voice - 844-448-3207 fax: 844-780-0910




Awning Anchors

Distributors Of: nerican Earth Anchors

The best screw you will have in the dirt

Special Order Product...





Voice - 844-448-3207 fax: 844-780-0910

E-Mail: Sales@SupplyBright.net Web Site: www.SupplyBright.net



QUESTIONS and Answers

Q: How much slope should be on a flat roof awning?

A: Most building codes require a pitch of at least one-quarter inch per 12 inches. An awning with a 4-foot projection should have a minimum of a 1 foot slope from the building to the edge of the awning.

Q: How many Z-Clips should be used for mounting my awning?

A: Z-Clips should be placed approximately every 6 inches along the horizontal and vertical extrusions along the mounting surface.

Q: What is the largest Flex Face Frame we can make using the MP-5B?

A: The ultimate size of a MP-5B Flex Face Frame is virtually unlimited. Using the Back Set Brace (MI-20) and a back set bar placed in each corner and spaced every 4 to 6 feet, the frame can be of almost any size.

Q: What are the engineering properties for Supply Bright's aluminum awning extrusions? A: The engineering properties for Supply Bright's awning extrusion can be found on our web site at: https://docs.wixstatic.com/ugd/48bb38_93f67bb365e84e91b711ce4bcb6ccda0.pdf?index=true Please note that this engineering information does MOT represent other manufacturers awning extrusion using the same product ID (i.e. MP-1A).

Q: What is unique about the staples sold by Supply Bright?

A: Unlike standard staples that "punch" straight thru the fabric and metal, our staples have a "twist 'N lock" feature. This means that when the staple is being "punched" thru the fabric and metal, the staple legs will twist to the side securing the staples from being pulled directly out of the metal. Thus, holding the fabric more securely onto the frame against wind load.

Q: Are Supply Bright's staple guns different from other I can find on the open market?

A: Supply Bright's staple guns are manufactured by Apache and these can be found in many hardware and DIY stores. However, the units supplied by Supply Bright have been modified to fit fully into the staple groove and they are also re-designed to stop the crown of the staples from penetrating the fabric as the staples are "punching" thru the fabric and the metal.

Q: When do we use Fast Clips?

A: Fast Clips were designed with 2 applications in mind. The first application was for the Fast Clips to be used as an on-site repair tool for fixing broken aluminum frames without having to repair the frame in house, or have a welder on site. Just use the correct shape to cover the repair then attach the Fast Clip with tek screws.

The second application is to be used to assemble awnings without any welding. Supply Bright's Fast Clips come in over 10 different designs to meet different angles and connections of the aluminum framing of your awning. Using tek screws the Fast Clips are attached to the aluminum joints for a completed awning.

Voice - 844-448-3207 fax: 844-780-0910



QUESTIONS and Answers

Q: How far apart should the staples be in the staple groove holding in the awning fabric?

A: Staples should be placed every 2 to 4 inches apart throughout all staple grooves.

Q: How do I remove the black water stains that appear on the aluminum?

A: Using the AluminoX from Supply Bright Safely cleans bare aluminum by removing road film, grime, algae, scum, lime deposits, water stains and oxidation. Mill or brushed aluminum will never go back to the showroom finish. However, the whitish gray is 100% better than the oxidized black. Concentrated products makes 20 gallons.

Q: Is there anything that can be used to protect aluminum from rust and oxidation?

A: Supply Bright's OxiX is an innovative, bio-friendly, rust and oxidation barrier that preserves and protects all metals and a lot more. It can be used as a stand alone sealer or as a primer that can be painted over with excellent adhesion. OxiX dries within minutes providing you with a durable moisture and oxidation barrier on your surfaces that will last for years. OxiX can be applied over rusted or oxidized surfaces to prevent further corrosion. Even if the coating is penetrated, no rust or oxidation will creep back past the origin of the compromised metal.

OxiX has been specifically engineered to be one of the safest products on the market today. OxiX contains zero VOC's; so, it can be used in areas with low ventilation such as confined spaces. It is water-reducible, so solvent mixing has now become a thing of the past, making your work environment safer. There are no special disposal requirements and cleanup is as simple as washing with soap and water.

Q: Our customers awning has lost the ability to repel water, is there a water repellent coating that can be used?

A: Supply Bright is a dealer for <u>losso Products</u> and they offer a Water Repellent product that goes on most awning fabrics and dries with an invisible coating. It protects from water, soil, oil, bird droppings, and environmental pollutants. Recommended for use on awnings, canopies, tents, patio furniture, cushions, umbrellas, tarps, boat covers, Bimini tops, hunting fabrics, camping gear, leather, synthetics, and vinyl. Safe for use on Sunbrella Fabric. Formula is non-solvent, and non-silicon. One gallon covers up to 150 square feet.

Q: What is the best method to remove and mold & mildew, and clean, an awning?
A: <u>losso Products</u>, offered through Supply Bright, has a Mold & Mildew Stain Remover compound. That is safe for acrylic fabrics like Sunbrella. It is non-chlorine, biodegradable and has no harmful vapors. One jar makes up to three gallons of solution. One gallon cleans 150 sq. feet.

Voice - 844-448-3207 fax: 844-780-0910



Organizations

Supply Bright is proud to be a member of ...













Supply Bright Proudly Supports...





Voice - 844-448-3207 fax: 844-780-0910



Business Credit Application Account Setup

Name / Address			
		-	
Company Information			
Bank References			
Address:	Address:	Address:	
Trade References			
irade References			
Address:	Address:	Address:	
I hereby certify that the information contained h	nerein is complete and accurate. This information ditions of the credit to be extended. Furthermore	n has been furnished with	the understanding that it
in this credit application to release necessary in	nformation to the company for which credit is be	ing applied for in order to v	erify the information
ability and willingness to pay Supply Bright invo	onsideration of any extension of credit, the under pices. Invoices are to be paid in accordance wit	rsigned unconditionally gua h the approved terms and	conditions. All past due
invoices are applicable to a finance charge of 1 All invoices are due within thirty (30) days of	I.5% per month (18% APR). of issue date		
, , (es, aug			
Signature	 Date		
-			
Printed or Typed Name		fice	
. Intod or Typod Namo	Capacity of Of		Form date 05/30/2014

Voice - 844-448-3207 fax: 844-780-0910



Customer Setup & Credit Card Authorization Form

Company Name		
Billing Address		
Shipping Address (if same as billing you may lea	ave blank)	
Phone	— Fa	ax
E-mail Address (for all correspondence)		
I AUTHORIZE SUPPLY BRIGHT OF NUMBER BELOW TO COVER ANY ORDER Circle One AMEX Yes [Ok to charge by the content of the conten	S AND SHIPPING AMC	OUNT FOR THE DATES SPECIFIED. Other First
Billing Address of credit card (if same as billing a	address above you may l	eave blank)
Account Number	Exp. Date	Security ID# on back of card
Project Name / Order Number		
I understand by signing this credit card authorization fo reversal charge backs are allowed and I am responsible		
Authorized Signature	Date	
Please fax completed form to Supply Brigh	nt at 844-780-0910 or	E-mail to Sales@SupplyBright.net

Voice - 844-448-3207 fax: 844-780-0910



E-Check Authorization Form

ONE TIME E-CHECKAUTHORIZATION	
Initial here if you would like Supply Bright, LLC to use this E-Check authorizati	on form for a one time service or product transaction.
I authorize Supply Bright, LLC initiate either and electronic debit or to create and process	a demand draft against my bank account on or after
(mm/dd/yyyy) for the amount of	I acknowledge that the origination of ACH
transactions to my account must comply with the provisioning of United States law. My a	ccount information is shown near the bottom of this
page.	
RECURRING E-CHECK TRANSACTION	
Initial here is would like Supply Bright, LLC to use this E-Check authorization for	orm for a recurring service or product.
I authorize Supply Bright, LLC to initiate either an electronic debit or to create and	process a demand draft against my bank account
$according \ to \ the \ terms \ listed \ below. \ \ I \ acknowledge \ that \ the \ origination \ of \ ACH \ transaction \ of \ of \ ACH \ transaction \ of \ of \ ACH \ transaction \ of \ ACH \ transaction \ of \ ACH \ tr$	ns to my account must comply with the provisioning
of United States law. My account information is shown near the bottom of this page. Tis J	payment authorization is to remain in full force and
effect until I,(name) notify Supply Brigh	t, LLC of its cancellation by sending written in such
time and in such time to allow both the Supply Bright, LLC and the receiving financial insti	tution a reasonable opportunity to act on it.
BANK INFORMATION	
Bank ABA Number (Your Banks Routing Number)	
Bank Account Number:	
Bank Account Type (Checking, Savings, Business Checking)	
My Phone Number (as recorded with this bank account)	
Your Signed Name	
Your Printed Name:	
Date:	

Voice - 844-448-3207 fax: 844-780-0910



PRODUCT CATALOG

TERM AND CONDITIONS

- Terms: All orders are pre-paid, unless prior arraignments are made & approved through Supply Bright, LLC. & their appropriate finance company. Supply Bright accepts Cash, Checks, Money Order, Wire Transfer, Visa, MasterCard, American Express, or Discover. Wire Transfers: \$20.00 fee for domestic wire transfers, \$60.00 fee for international wire transfer. Funds require bank clearance prior to shipping. N.S.F. check fee \$25.00. All orders are final. Price subject to change without notice.
- Sales Tax: Supply Bright, LLC is required by law to charge applicable state & local sales tax on every item for which sales tax exemption certification has not been provided on the 1st of every year. Renewed tax exempt certificates are to be supplied to Supply Bright, LLC (fax or e-mail) upon expiration of current certification
- Past Due Accounts: Unpaid past balance is subject to a 1 ½ percent finance charge per month (18% per year) or as directed by the appropriate finance company. Time calculation starts the day item is shipped. Orders on past due accounts will be put on hold pending resolution of balance.
- Orders: Orders will be shipped form Supply Bright's proper fulfillment location; multiple freight charges may occur from different origin points. To guarantee orders to be processed correctly, a customer's purchase order should proceed any verbal orders. Supply Bright, LLC will not be held liable for any misunderstanding of part or in full of any & all verbal orders. Customer will be held liable for any & all orders. Supply Bright, LLC reserves the right to automatically fulfill back orders when product becomes available, unless backorder is cancelled in writing by customer. All metal orders are expected to ship in three to four business days from receipt of order and payment. All non-metal orders are expected to ship in two business days from receipt of order and payment.
- Returns: All returns require pre-authorization return number. No returns are approved 15 days after sale & customized products are non-refundable. There is a 20% re-stocking fee (excluding customized products) on returned merchandise. Credit on account will be issued upon receipt of returned merchandise in new resalable condition. In-house credit ONLY will be issued for all returned merchandise. All customized products, & or fabricated products, cannot be cancelled & are non-refundable once order has been processed by Supply Bright, LLC. Fabric, awning kits, complete awnings, custom fabrication items, and used items are not eligible for return. Supply Bright is not liable for any costs or freight charges for the return of merchandise (in or out of warranty).
- Warranty: Individual items carry their own limited guarantee / warranty. All Supply Bright products carry a 90-day warranty against defects in quality of workmanship from date of invoice. Any defective product within the first 90-day period are to be returned to Supply Bright for replacement. Supply Bright will cover regular ground shipment for the replacement of defective items.
 - All products returned for warranty service after the first 90-days will be serviced by Supply Bright who will service the unit with used parts that are equivalent or superior to new parts in performance. Supply Bright may, at their own discretion, replace the product with a new or used product Freight to and from Supply Bright will not be covered for warranty and non warranty repairs after the first 90 days of ownership (from date of original invoice).
 - This Limited Warranty extends only to products purchased from Supply Bright or a Supply Bright authorized reseller. This Limited Warranty does not extend to any product that has been damaged or rendered defective (a) as a result of accident, misuse or abuse; (b) as a result of an act of God; (c) by operation outside the usage parameters stated herein; (d) by the use of parts not manufactured or sold by Supply Bright; (e) by modification of the product; (f) as a result of war or terrorist attack; or (g) as a result of service by anyone other than Supply Bright.
 - EXCEPT AS EXPRESSLY SET FORTH IN THIS WARRANTY, SUPPLY BRIGHT MAKES NO OTHER WARRANTIES EXPRESSED OR IMPLIED, INCLUDING ANY IMPLIED WARRANTIES OR MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. SUPPLY BRIGHT EXPRESSLY DISCLAIMS ALL WARRANTIES NOT STATED IN THIS LIMITED WARRANTY. ANY IMPLIED WARRANTIES THAT MAY BE IMPOSED BY LAW ARE LIMITED TO THE TERMS OF THIS EXPRESS LIMITED WARRANTY.
 - Supply Bright is not liable for any damages caused by the product or by the failure of the product to perform, including any lost profits, lost savings, lost sales, incidental damages, or consequential damages. Supply Bright is not liable for any claim made by a third party or made by you for a third party.
 - To obtain warranty service, please contact Supply Bright via E-mail at <u>Sales@SupplyBright.net</u>. For product warranty information please visit our web site at www.SupplyBright.net
- Freight: All orders are delivered common carrier, & will be prepaid or sent freight collect (carrier will collect freight charges at time of delivery). Any freight quote given by Supply Bright, LLC its officers or employees (written or verbal) are just that A Quote. Final freight charges are subject to change at time of pickup, & customer is responsible for paying any differences. All freight quotes are estimated to commercial address only. Supply Bright will not be held liable for delivery time or days. It is the customer's sole responsibility to inform Supply Bright of any orders shipping to a non-commercial address, any additional charges to non-commercial address after delivery will be charged to customer and due upon receipt.
- Freight Claims: Freight claims are to be filed by the consignee or the paying party. It is the receiving party's responsibility, at time of delivery, to check for any visible damage to the product or the package & note such problems on bill of lading. Multiple photos of damage MUST be taken by receiving party. If the shipment was freight collect or customer payment, then the receiving party is responsible for ALL claim submission. Replacement product & freight will be charged to customer upon their request. If shipment was third party billing (by Supply Bright, LLC, or invoiced to the customer) photos & noted bill of lading MUST be submitted by the Consignee for proper damage claims. Supply Bright, LLC will not be held liable for delay of product or service due to freight claim/damages. Freight claims & replacement products WILL NOT be processed until all proper information & paperwork of damage is supplied to Supply Bright, LLC.
- General Terms: Supply Bright, LLC acceptance of any order is subject to purchaser's assent of the terms & conditions set forth in the Supply Bright, LLC customer application/herein. Purchaser's assent to these terms & conditions shall be presumed from the purchase of all or any part of the goods & services ordered. No addition or modification of items or conditions shall be binding upon Supply Bright, LLC in writing. If the purchase order or other correspondence contains terms or conditions contrary to the terms & conditions contained herein, Supply Bright's Terms & Condition will apply.
- All sales are final. All returns require a Return Authorization & restocking fee. Freight charges are not refundable, additional freight charges may apply. No cash refunds, company credit only on pre-approved returns. Non pre-approved returns will not be given company credit or refund. Supply Bright reserves the right to split orders & ship from multiple fulfillment centers & charge accordingly. Pricing for product and services may change without notice.
- Awning Kits, Flex Face Frames and All Other manufactured/fabricated products or Items sold by Supply Bright LLC.
 - Review structural drawings with a Local Architect. Engineer, your Customer, and the local Political Subdivision Building Department(s). to be certain that these products meet suitability, fitness, and legal building code compliance. Supply Bright makes no representation, either express or implied, that these drawings, and our fabrication meet you local building codes





Some Products We Offer...





























PROUD MEMBER OF:





125 Corporation Way, Suite F, Venice FL 32485 Toll Free: 844-448-3207 Fax: 844-780-0910 SupplyBright.Net Sales@SupplyBright.net

Voice: 941-460-1600 TF: 844-448-3207 Fax: 844-780-0810 WebSite: www.SupplyBright.Net E-Mail: Sales@SupplyBright.Net